



Report Number:	24-006371/D001.R000				
Report Date:	06/18/2024				
ORELAP#:	OR100028				
Purchase Order:					
Received:	06/11/24 10:54				

Customer:	Healthy Roots				
Product identity:	200 MG Bath Bomb				
Client/Metrc ID:					
Laboratory ID:	24-006371-0001				

Summary	
---------	--

Analyte	Result	Limits	Units	Status	CBD-Total per Serving Size 229 mg/210g
CBC	0.00764		%		+
CBD	0.109		%		
∆9-THC	0.00436		%		Delta-9-THC-Total per <loq< td=""></loq<>
Analyte per 210g	Result	Limits	Units	Status	(Reported in milligrams per serving)
CBC per 210g	16.0		mg/210g		
CBD per 210g	229		mg/210g		
∆9-THC per 210g	9.16		mg/210g		

Page 1 of 9
Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan
unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless
prior arrangements have been made.
Testing in accordance with: OAR 333-007-0430





Report Number:	24-006371/D001.R000
Report Date:	06/18/2024
ORELAP#:	OR100028
Purchase Order:	
Received:	06/11/24 10:54

Customer:	Healthy Roots 14325 NE Airport Way Portland Oregon 97230 United States of America (USA)
Product identity:	200 MG Bath Bomb
Client/Metrc ID:	
Sample Date:	
Laboratory ID:	24-006371-0001
Evidence of Cooling:	No
Temp:	24.9 °C
Serving Size #1:	210 g

## **Sample Results**

Potency	Method: J AOAC 2015 V9	98-6 (mod) <sup>þ</sup>	Units %	Batch: 2404515	Analyze: 6/13/24 11:55:00 PM
Analyte	Result	Limits	Units	LOQ	Notes
CBC	0.00764		%	0.00309	
CBC-A	< LOQ		%	0.00309	
CBC-Total	0.00764		%	0.00580	
CBD⊥	0.109		%	0.00309	
CBD-A⊥	< LOQ		%	0.00309	
CBD-Total⊥	0.109		%	0.00580	
CBDV	< LOQ		%	0.00309	
CBDV-A	< LOQ		%	0.00309	
CBDV-Total	< LOQ		%	0.00577	
CBE	< LOQ		%	0.00309	
CBG	< LOQ		%	0.00309	
CBG-A	< LOQ		%	0.00309	
CBG-Total	< LOQ		%	0.00577	
CBL	< LOQ		%	0.00309	
CBL-A	< LOQ		%	0.00309	
CBL-Total	< LOQ		%	0.00580	
CBN	< LOQ		%	0.00309	
CBT	< LOQ		%	0.00309	
$\Delta 10$ -THC-9R	< LOQ		%	0.00309	
$\Delta 10$ -THC-9S	< LOQ		%	0.00309	
$\Delta 10$ -THC-Total	< LOQ		%	0.00618	
∆8-THC⊥	< LOQ		%	0.00309	
$\Delta 8$ -THCV	< LOQ		%	0.00309	
∆9-THC⊥	0.00436		%	0.00309	
∆9-THC-A⊥	< LOQ		%	0.00309	
∆9-THC-Total⊥	< LOQ		%	0.00580	
∆9-THCP	< LOQ		%	0.00309	
∆9-THCV	< LOQ		%	0.00309	
∆9-THCV-A	< LOQ		%	0.00309	
$\Delta 9$ -THCV-Total	< LOQ		%	0.00577	
exo-THC	< LOQ		%	0.00309	

Page 2 of 9 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan
unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless
prior arrangements have been made.
Testing in accordance with: OAR 333-007-0430



12122325818
22303755
i Alteria de Carteria de Ca

Report Number:	24-006371/D001.R000					
Report Date:	06/18/2024					
ORELAP#:	OR100028					
Purchase Order:						
Received:	06/11/24 10:54					

Potency	Method: J AOAC 2015 V	/98-6 (mod) <sup>þ</sup>	Units %	Batch: 2404515	Analyze: 6/13/24 11:55:00 PM
Analyte	Result	Limits	Units	LOQ	Notes
Total Cannabinoids	0.121		%		
Potency per 210g	Method: J AOAC 2015 V	/98-6 (mod) <sup>⊳</sup>	Units mg/se	Batch: 2404515	Analyze: 6/13/24 11:55:00 PM
Analyte	Result	Limits	Units	LOQ	Notes
CBC per 210g	16.0		mg/210g	6.49	
CBC-A per 210g	< LOQ		mg/210g	6.49	
CBC-Total per 210g	16.0		mg/210g	12.2	
CBD per 210g	229		mg/210g	6.49	
CBD-A per 210g⊥	< LOQ		mg/210g	6.49	
CBD-Total per 210g⊥	229		mg/210g	12.2	
CBDV per 210g	< LOQ		mg/210g	6.49	
CBDV-A per 210g	< LOQ		mg/210g	6.49	
CBDV-Total per 210g	< LOQ		mg/210g	12.1	
CBE per 210g	< LOQ		mg/210g	6.49	
CBG per 210g	< LOQ		mg/210g	6.49	
CBG-A per 210g	< LOQ		mg/210g	6.49	
CBG-Total per 210g	< LOQ		mg/210g	12.1	
CBL per 210g	< LOQ		mg/210g	6.49	
CBL-A per 210g	< LOQ		mg/210g	6.49	
CBL-Total per 210g	< LOQ		mg/210g	12.2	
CBN per 210g	< LOQ		mg/210g	6.49	
CBT per 210g	< LOQ		mg/210g	6.49	
∆10-THC-9R per 210g	< LOQ		mg/210g	6.49	
∆10-THC-9S per 210g	< LOQ		mg/210g	6.49	
$\Delta 10$ -THC-Total per 210g	< LOQ		mg/210g	13.0	
∆8-THC per 210g⊥	< LOQ		mg/210g	6.49	
∆8-THCV per 210g	< LOQ		mg/210g	6.49	
∆9-THC per 210g⊥	9.16		mg/210g	6.49	
$\Delta 9$ -THC-Total per 210g	< LOQ		mg/210g	12.2	
∆9-THCP per 210g	< LOQ		mg/210g	6.49	
∆9-THCV per 210g	< LOQ		mg/210g	6.49	
∆9-THCV-A per 210g	< LOQ		mg/210g	6.49	
$\Delta 9$ -THCV-Total per 210g	< LOQ		mg/210g	12.2	
exo-THC per 210g	< LOQ		mg/210g	6.49	
THC-A per 210g⊥	< LOQ		mg/210g	6.49	
Total Cannabinoids per 21	0g 254		mg/210g		

Page 3 of 9
Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan
unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless
prior arrangements have been made.
Testing in accordance with: OAR 333-007-0430





 Report Number:
 24-006371/D001.R000

 Report Date:
 06/18/2024

 ORELAP#:
 OR100028

 Purchase Order:
 Received:

 Received:
 06/11/24 10:54

## Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

 $^{\flat}$  = ISO/IEC 17025:2017 accredited method.  $^{\bot}$  = TNI accredited analyte.

## Units of Measure

g = Gram mg/210g = Milligram per 210g % = Percentage of sample % wt = μg/g divided by 10,000

Approved Signatory

Derrick Tanner General Manager

www.columbialaboratories.com

Page 4 of 9

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.





24-006371/D001.R000 **Report Number: Report Date:** 06/18/2024 ORELAP#: OR100028 **Purchase Order: Received:** 06/11/24 10:54

	ES	Hemp & Cannabis Chain of Custody ORELAP ID: OR1000028 ANAB ISO 17025 ID: AT1508		Healthy-Roots- Products-1718	
Company Details Company: <u>Healthy Roots I</u> Contact: <u>Liz Cardoza</u> Street Address: <u>2't663 SC</u> City, State, Zip: <u>Oregon Cit</u> Email: <u>Liz@healthyrootsh</u> Email, CC: <u>Alaincardoza3</u> / Contact Phone: <u>503-496</u> . Company Phone: <u>503-496</u> . Billing Information Billing Phone: <u>503-496-23</u> Billing Email: <u>Liz@healthy</u>	restview Drive y, <u>CR 97045</u> emp.com @gmail.com 2329 -2329	Project Details Turnaround Time: <u>5 Business Days  Req. For Micro Testing Standard</u> Relinquishment  Sampling, Courier & Shipping Options: <u>Drop Off at Laborator</u> Compliance: <u>Compliance</u> Receipt Information Pre-Log Storage: Canna Shelves Sample Condition: Satisfactory	У		H0010 - Potency Cannabis (Basic+Expanded)
# Sample Name	Material	Additional Test Requests and Sample Comments	Amount Provided	Reporting Unit	
1 200 MGBath Bomb	Cannabinoid Soaking/Bath Salts	Report in MG and Percentage	210 g	mg/g	$\checkmark$

Relinquished By	Date	Time	Received By	Date	Time	Received Temp., °C	Evidence of Cooling?
Liz Cardoza	06/11/2024	08:04	8EM	06/11/2024	10;54	24,90	No

Samples submitted to Columbia Laboratories with testing requirements constitute an agreement for services in accordance with the <u>current terms of services</u> associated with this COC By signing "Relinquished by" you are agreeing to these terms.

Columbia Laboratories 12423 NE WHitaker Way Portland, OR 97230

P: (503) 254-1794 info@columbialaboratories.com

Page 1of 1 www.columbialaboratories.com

Page 5 of 9 <u>www.columbialaboratories.com</u> Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made. Testere eventeen without the samples are received by the laboratory.





Report Number:	24-006371/D001.R000
Report Date:	06/18/2024
ORELAP#:	OR100028
Purchase Order:	
Received:	06/11/24 10:54

Revision: 4 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results J AOAC 2015 V98-6 Batch ID: 2404515									
aboratory Control	Sample								
Analyte	LCS	Result	Spike	Units	% Rec	Limi	its	Evaluation	Notes
BDVA	2	0.0319	0.0318	%	100	80.0 -	120	Acceptable	
BDV	2	0.0318	0.0322	%	99.0	80.0 -	120	Acceptable	
BE	2	0.0317	0.0318	%	99.7	80.0 -	120	Acceptable	
BDA	1	0.0306	0.0307	%	99.9	90.0 -	110	Acceptable	
BGA	1	0.0306	0.0304	%	101	80.0 -	120	Acceptable	
BG	1	0.0300	0.0299	%	100	80.0 -	120	Acceptable	
BD	1	0.0322	0.0323	%	99.7	90.0 -	110	Acceptable	
HCV	2	0.0336	0.0339	%	99.0	80.0 -	120	Acceptable	
18THCV	2	0.0340	0.0343	%	99.1	80.0 -	120	Acceptable	
HCVA	2	0.0314	0.0312	%	100	80.0 -	120	Acceptable	
BN	1	0.0306	0.0304	%	100	80.0 -	120	Acceptable	
xo-THC	2	0.0270	0.0278	%	97.4	80.0 -	120	Acceptable	
9THC	1	0.0270	0.0322	%	97.4	90.0 -	120	Acceptable	
8THC	1		0.0315	%				Acceptable	
S-d10THC	1	0.0310	0.0313	%	98.5	90.0 -	110	Acceptable	
BL	2	0.0310	0.0318	%	97.9	80.0 -	120	Acceptable	
S-HHC	3	0.0302	0.0322	%	93.6	80.0 -	120	Acceptable	
R-d10THC	1	0.0303	0.0323	%	93.6	80.0 -	120		
BC		0.0301			88.9	80.0 -	120	Acceptable	
R-HHC	2	0.0317	0.0325	% %	97.7	80.0 -	120	Acceptable Acceptable	
		0.0306			93.9	80.0 -	120		
HCA	1	0.0322	0.0304	%	106	90.0 -	110	Acceptable	
BCA	2	0.0323	0.0328	%	98.7	80.0 -	120	Acceptable	
BLA	2	0.0324	0.0329	%	98.6	80.0 -	120	Acceptable	
9THCP	2	0.0299	0.0318	%	94.2	80.0 -	120	Acceptable	
8THCO	3	0.0302	0.0318	%	94.9	80.0 -	120	Acceptable	
BT	2	0.0289	0.0324	%	89.3	80.0 -	120	Acceptable	
I9THCO	3	0.0282	0.0297	%	94.9	80.0 -	120	Acceptable	
Method Blank	_								
nalyte		esult	LOQ	-	Units	Limi		Evaluation	Notes
CBDVA		LOQ	0.00322		%	< 0.00		Acceptable	
CBDV		LOQ	0.00322		%	< 0.00		Acceptable	
CBE		LOQ	0.00322		%	< 0.00		Acceptable	
CBDA		LOQ	0.00322		%	< 0.00		Acceptable	
BGA		LOQ	0.00322		%	< 0.00		Acceptable	
BG	<	LOQ	0.00322		%	< 0.00	)322	Acceptable	
BD	<	LOQ	0.00322		%	< 0.00	)322	Acceptable	
HCV	<	LOQ	0.00322		%	< 0.00	322	Acceptable	
I8THCV	<	LOQ	0.00322		%	< 0.00	322	Acceptable	
HCVA	<	LOQ	0.00322		%	< 0.00	322	Acceptable	
BN	<	LOQ	0.00322	T	%	< 0.00	322	Acceptable	
xo-THC	<	LOQ	0.00322	1	%	< 0.00	322	Acceptable	
9THC	<	LOQ	0.00322	İ	%	< 0.00	322	Acceptable	
8THC	<	LOQ	0.00322	1	%	< 0.00	322	Acceptable	
S-d10THC		LOQ	0.00322	1	%	< 0.00		Acceptable	
BL		LOQ	0.00322	1	%	< 0.00		Acceptable	
S-HHC		LOQ	0.00322	%		< 0.00		Acceptable	
R-d10THC		LOQ	0.00322	%		< 0.00	-	Acceptable	
BC		LOQ	0.00322	+	%	< 0.00		Acceptable	
R-HHC			0.00322	70 %		< 0.00		Acceptable	
HCA		LOQ	0.00322	+	%	< 0.00		Acceptable	
BCA			0.00322	+	%	< 0.00		Acceptable	L
BLA		LOQ	0.00322	+	%	< 0.00		Acceptable	
		LOQ	0.00322	+		< 0.00		Acceptable	
		LUU	0.00522	%		< 0.00	1322		
9THCP			0.00000	1		< 0.00	1277	Accontable	
9THCP 8THCO BT	<		0.00322		%	< 0.00 < 0.00		Acceptable Acceptable	

ND - None Detected at or above MRI

Page 6 of 9 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan
unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless
prior arrangements have been made.
Testing in accordance with: OAR 333-007-0430





Report Number:	24-006371/D001.R000
Report Date:	06/18/2024
ORELAP#:	OR100028
Purchase Order:	
Received:	06/11/24 10:54

Revision: 4 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results

J AOAC 2015 V98-6	Batch ID: 2404515								
Sample Duplicate		Sample ID: 24-006281-0001							
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes	
CBDVA	<loq< td=""><td><loq< td=""><td>0.00325</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00325</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00325	%	NA	< 20	Acceptable		
CBDV	<loq< td=""><td><loq< td=""><td>0.00325</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00325</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00325	%	NA	< 20	Acceptable		
CBE	<loq< td=""><td><loq< td=""><td>0.00325</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00325</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00325	%	NA	< 20	Acceptable		
CBDA	<loq< td=""><td><loq< td=""><td>0.00325</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00325</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00325	%	NA	< 20	Acceptable		
CBGA	<loq< td=""><td><loq< td=""><td>0.00325</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00325</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00325	%	NA	< 20	Acceptable		
CBG	<loq< td=""><td><loq< td=""><td>0.00325</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00325</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00325	%	NA	< 20	Acceptable		
CBD	0.00651	0.00659	0.00325	%	1.24	< 20	Acceptable		
THCV	<loq< td=""><td><loq< td=""><td>0.00325</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00325</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00325	%	NA	< 20	Acceptable		
d8THCV	<loq< td=""><td><loq< td=""><td>0.00325</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00325</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00325	%	NA	< 20	Acceptable		
THCVA	<loq< td=""><td><loq< td=""><td>0.00325</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00325</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00325	%	NA	< 20	Acceptable		
CBN	<loq< td=""><td><loq< td=""><td>0.00325</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00325</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00325	%	NA	< 20	Acceptable		
exo-THC	<loq< td=""><td><loq< td=""><td>0.00325</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00325</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00325	%	NA	< 20	Acceptable		
d9THC	0.263	0.259	0.00325	%	1.53	< 20	Acceptable		
d8THC	0.00445	0.00424	0.00325	%	4.85	< 20	Acceptable		
9S-d10THC	<loq< td=""><td><loq< td=""><td>0.00325</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00325</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00325	%	NA	< 20	Acceptable		
CBL	<loq< td=""><td><loq< td=""><td>0.00325</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00325</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00325	%	NA	< 20	Acceptable		
9S-HHC	<loq< td=""><td><loq< td=""><td>0.00325</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00325</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00325	%	NA	< 20	Acceptable		
9R-d10THC	<loq< td=""><td><loq< td=""><td>0.00325</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00325</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00325	%	NA	< 20	Acceptable		
CBC	<loq< td=""><td><loq< td=""><td>0.00325</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00325</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00325	%	NA	< 20	Acceptable		
9R-HHC	<loq< td=""><td><loq< td=""><td>0.00325</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00325</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00325	%	NA	< 20	Acceptable		
THCA	<loq< td=""><td><loq< td=""><td>0.00325</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00325</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00325	%	NA	< 20	Acceptable		
CBCA	<loq< td=""><td><loq< td=""><td>0.00325</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00325</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00325	%	NA	< 20	Acceptable		
CBLA	<loq< td=""><td><loq< td=""><td>0.00325</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00325</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00325	%	NA	< 20	Acceptable		
d9THCP	<loq< td=""><td><loq< td=""><td>0.00325</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00325</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00325	%	NA	< 20	Acceptable		
d8THCO	<loq< td=""><td><loq< td=""><td>0.00325</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00325</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00325	%	NA	< 20	Acceptable		
CBT	<loq< td=""><td><loq< td=""><td>0.00325</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00325</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00325	%	NA	< 20	Acceptable		
d9THCO	<loq< td=""><td><loq< td=""><td>0.00325</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.00325</td><td>%</td><td>NA</td><td>&lt; 20</td><td>Acceptable</td><td></td></loq<>	0.00325	%	NA	< 20	Acceptable		

Abbreviations

ND - None Detected at or above MRL

**RPD** - Relative Percent Difference

LOQ - Limit of Quantitation

Units of Measure:

% - Percent

Page 7 of 9 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan
unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless
prior arrangements have been made.
Testing in accordance with: OAR 333-007-0430





Report Number:	24-006371/D001.R000
Report Date:	06/18/2024
ORELAP#:	OR100028
Purchase Order:	
Received:	06/11/24 10:54



Page 8 of 9
Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan
unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless
prior arrangements have been made.
Testing in accordance with: OAR 333-007-0430





24-006371/D001.R000 **Report Number: Report Date:** 06/18/2024 ORELAP#: OR100028 **Purchase Order: Received:** 06/11/24 10:54

Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitaion level raised due to matrix interference.
В	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.

Page 9 of 9 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan
unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless
prior arrangements have been made.
Testing in accordance with: OAR 333-007-0430