



Report Number:	21-012273/D001.R000						
Report Date:	10/21/2021						
ORELAP#:	OR100028						
Purchase Order:							
Received:	10/11/21 14:15						

Customer:	Healthy Roots
Product identity:	#4 Watermelon
Client/Metrc ID:	
Laboratory ID:	21-012273-0004

Summary

Analyte	Result	Limits	Units	Status		29.0 mg/3.8g	
CBD	0.764		%				
Analyte per 3.8g	Result	Limits	Units	Status	THC-Total per 3.8g	<loq< td=""></loq<>	
CBD per 3.8g	29.0		mg/3.8g		(Reported in milligrams per serving)		

Page 1 of 8 www.columbialaboratories.com
Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan
unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless
prior arrangements have been made.
Testing in accordance with: OAR 333-007-0430





Report Number:	21-012273/D001.R000
Report Date:	10/21/2021
ORELAP#:	OR100028
Purchase Order:	
Received:	10/11/21 14:15

Customer:	Healthy Roots
Product identity: Client/Metrc ID:	#4 Watermelon
Sample Date:	
Laboratory ID:	21-012273-0004
Evidence of Cooling:	No
Temp:	20 °C
Relinquished by:	Client
Serving Size #1:	3.8 g

Sample Results

Potency	Method J AOA	AC 2015 V98-6 (mod)	Units %	Batch: 2109491	Analyze: 10/20/21 8:00:00 PM
Analyte	Result	Limits	Units	LOQ	Notes
CBC	< LOQ		%	0.0031	
CBC-A [†]	< LOQ		%	0.0031	
CBC-Total [†]	< LOQ		%	0.0059	
CBD	0.764		%	0.0031	
CBD-A	< LOQ		%	0.0031	
CBD-Total	0.764		%	0.0059	
CBDV [†]	< LOQ		%	0.0031	
CBDV-A [†]	< LOQ		%	0.0031	
CBDV-Total [†]	< LOQ		%	0.0059	
CBE [†]	< LOQ		%	0.0031	
CBG [†]	< LOQ		%	0.0031	
CBG-A [†]	< LOQ		%	0.0031	
CBG-Total	< LOQ		%	0.0059	
CBL [†]	< LOQ		%	0.0031	
CBL-A [†]	< LOQ		%	0.0031	
CBL-Total [†]	< LOQ		%	0.0059	
CBN	< LOQ		%	0.0031	
CBT [†]	< LOQ		%	0.0031	
$\Delta 8$ -THCV	< LOQ		%	0.0031	
$\Delta 8$ -THC [†]	< LOQ		%	0.0031	
Δ9-THC	< LOQ		%	0.0031	
THC-A	< LOQ		%	0.0031	
THC-Total	< LOQ		%	0.0059	
THCV [†]	< LOQ		%	0.0031	
THCV-A [†]	< LOQ		%	0.0031	
THCV-Total [†]	< LOQ		%	0.0059	
Total Cannabinoids [†]	0.764		%		

Potency per 3.8g	Method J AOA	C 2015 V98-6 (m	nod) Units mg/se Ba	atch: 2109491	Analyze: 10/20/21 8:00:00 PM
Analyte	Result	Limits	Units	LOQ	Notes
CBC per 3.8g [†]	< LOQ		mg/3.8g	0.119	
CBC-A per 3.8g [†]	< LOQ		mg/3.8g	0.119	
CBC-Total per 3.8g [†]	< LOQ		mg/3.8g	0.224	

Page 2 of 8 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made. Testing in accordance with: OAR 333-007-0430





Report Number: 21-012273/D001.R000 **Report Date:** 10/21/2021 ORELAP#: OR100028 **Purchase Order:** 10/11/21 14:15 **Received:**

Potency per 3.8g	Method J AOA	C 2015 V98-6 (mod)Units mg/se Ba	t ch: 2109491	Analyze: 10/20/21 8:00:00 PM
Analyte	Result	Limits Units	LOQ	Notes
CBD per 3.8g	29.0	mg/3.8g	0.119	
CBD-A per 3.8g	< LOQ	mg/3.8g	0.119	
CBD-Total per 3.8g	29.0	mg/3.8g	0.224	
CBDV per 3.8g [†]	< LOQ	mg/3.8g	0.119	
CBDV-A per 3.8g [†]	< LOQ	mg/3.8g	0.119	
CBDV-Total per 3.8g [†]	< LOQ	mg/3.8g	0.222	
CBE per 3.8g [†]	< LOQ	mg/3.8g	0.119	
CBG per 3.8g [†]	< LOQ	mg/3.8g	0.119	
CBG-A per 3.8g [†]	< LOQ	mg/3.8g	0.119	
CBG-Total per 3.8g [†]	< LOQ	mg/3.8g	0.222	
CBL per 3.8g [†]	< LOQ	mg/3.8g	0.119	
CBL-A per 3.8g [†]	< LOQ	mg/3.8g	0.119	
CBL-Total per 3.8g [†]	< LOQ	mg/3.8g	0.224	
CBN per 3.8g	< LOQ	mg/3.8g	0.119	
CBT per 3.8g [†]	< LOQ	mg/3.8g	0.119	
$\Delta 8$ -THCV per 3.8g [†]	< LOQ	mg/3.8g	0.119	
$\Delta 8$ -THC per 3.8g [†]	< LOQ	mg/3.8g	0.119	
∆9-THC per 3.8g	< LOQ	mg/3.8g	0.119	
exo-THC per 3.8g [†]	< LOQ	mg/3.8g	0.119	
THC-A per 3.8g	< LOQ	mg/3.8g	0.119	
THC-Total per 3.8g	< LOQ	mg/3.8g	0.224	
THCV per 3.8g [†]	< LOQ	mg/3.8g	0.119	
THCV-A per 3.8g [†]	< LOQ	mg/3.8g	0.119	
THCV-Total per 3.8g [†]	< LOQ	mg/3.8g	0.224	
Total Cannabinoids per 3.8g	29.0	mg/3.8g		

 www.columbialaboratories.com
 Page 3 of 8

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with:
 OAR 333-007-0430





Report Number: 21-012273/D001.R000 Report Date: 10/21/2021 **ORELAP#:** OR100028 Purchase Order: Received: 10/11/21 14:15

These test results are representative of the individual sample selected and submitted by the client.

Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

[†] = Analyte not NELAP accredited.

Units of Measure

g = Gram mg/3.8g = Milligram per 3.8g % = Percentage of sample % wt = $\mu g/g$ divided by 10,000

Approved Signatory

Derrick Tanner General Manager

www.columbialaboratories.com

Page 4 of 8

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made





21-012273/D001.R000
10/21/2021
OR100028

Received:

10/11/21 14:15

	A Tentamus Compa	ny	ſ	NC VIS	1011. 4				P ID: O				. 03/0	4/202			8
	CHAIN OF CL Company: Healthy Roots Contact: Liz Merritt Address: 14325 NE Airpo Portland, OR 9: Phone: 503-496-2329 License: AG-L 1052211FF	rt Way, #1 7230 o@gmail.co	m	OR 59 compounds	esticide Multi-Residue – 379 compounds			Moisture & Water Activity	s Req		and Total Coliform	S		Plate C	Projec Pro Custom I Report to Turnarou	ject Name: Reporting: o State - □ ME Ind time: 🎢 5 □ 3 □ 2 1	TRC or C Other:
ab D		Date	Time	Pesticides –	Pesticide Mi	X Potency	Residual Solvents	Moisture &	Terpenes	Micro: Yeast and Mold	Micro: E.Coli	Heavy Metals	Mycotoxins	other obic Stappy	Sampled Sample Type †	by: Weight (Units)	Comments/Metrc ID
-	#4 Orange Mango #4 Blue Razzberry #4 Wrater melon					× × ×									E E E	3.7 3.4 3.8	d^D
																	Report in mg/gr and H % (percentage
6	Relinquished By:	Date	Time 2:15pm				Received 3D	iBy:				ate 1/21		ime : 15	Sample	in good condition	Lab Use Only: or,

Samples submitted to Columbia Laborotories with testing requirements constitute an agreement for services in accordance with the current terms of service associated with this COC. By signing "Relinquished by" you are agreeing to these terms P: (503) 254-1794 | Fax: (503) 254-1452 info@columbialaboratories.com Page _____of____ www.columbialaboratories.com

12423 NE Whitaker Way Portland, OR 97230

Page 5 of 8 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made. Testing in accordance with: OAR 333-007-0430





Report Number: 21-012273/D001.R000 10/21/2021 **Report Date: ORELAP#:** OR100028 **Purchase Order:**

Received:

10/11/21 14:15

Revision #: 0.00 Control : CFL-D06 Revision Date: 05/31/2019 Effective Date: 05/31/2019

Laboratory Quality Control Results												
J AOAC 2015 V98-6				Bat	ch ID: 🛛	2109	9491					
Laboratory Control Sample												
Analyte	Result	Spike	Units	% Rec	L	Limits		Limits		Evaluation	Notes	
CBDVA	0.0100	0.01	%	100	85.0	-	115	Acceptable				
CBDV	0.0104	0.01	%	104	85.0	-	115	Acceptable				
CBE	0.0107	0.01	%	107	85.0	-	115	Acceptable				
CBDA	0.00998	0.01	%	99.8	85.0	-	115	Acceptable				
CBGA	0.00996	0.01	%	99.6	85.0	-	115	Acceptable				
CBG	0.0105	0.01	%	105	85.0	-	115	Acceptable				
CBD	0.0102	0.01	%	102	85.0	-	115	Acceptable				
THCV	0.0104	0.01	%	104	85.0	-	115	Acceptable				
d8THCV	0.0102	0.01	%	102	85.0	-	115	Acceptable				
THCVA	0.00960	0.01	%	96.0	85.0	-	115	Acceptable				
CBN	0.0101	0.01	%	101	85.0	-	115	Acceptable				
exo-THC	0.00977	0.01	%	97.7	85.0	-	115	Acceptable				
d9THC	0.00983	0.01	%	98.3	85.0	-	115	Acceptable				
d8THC	0.00976	0.01	%	97.6	85.0	-	115	Acceptable				
CBL	0.00940	0.01	%	94.0	85.0	-	115	Acceptable				
CBC	0.0101	0.01	%	101	85.0	-	115	Acceptable				
THCA	0.0106	0.01	%	106	85.0	-	115	Acceptable				
CBCA	0.0106	0.01	%	106	85.0	-	115	Acceptable				
CBLA	0.0101	0.01	%	101	85.0	-	115	Acceptable				
CBT	0.00933	0.01	%	93.3	85.0	-	115	Acceptable				

Method Blank

Analyte	Result	LOQ	Units	Limits	Evaluation	Notes
CBDVA	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
CBDV	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
CBE	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
CBDA	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
CBGA	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
CBG	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
CBD	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
THCV	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
d8THCV	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
THCVA	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
CBN	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
exo-THC	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
d9THC	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
d8THC	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
CBL	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
CBC	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
THCA	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
CBCA	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
CBLA	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
CBT	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	

Abbreviations

ND - None Detected at or above MRL RPD - Relative Percent Difference

LOQ - Limit of Quantitation

Units of Measure:

% - Percent

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.





Report Number:	21-012273/D001.R000			
Report Date:	10/21/2021			
ORELAP#:	OR100028			
Purchase Order:				
Received:	10/11/21 14:15			

Revision #: 0.00 Control : CFL-D06

Revision Date: 05/31/2019 Effective Date: 05/31/2019

Laboratory Quality Control Results									
J AOAC 2015 V98-6 Batch ID: 2109491									
Sample Dupli	cate		Sample ID: 21-012273-0001						
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes	
CBDVA	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable		
CBDV	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable		
CBE	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable		
CBDA	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable		
CBGA	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable		
CBG	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable		
CBD	0.769	0.770	0.003	%	0.118	< 20	Acceptable		
THCV	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable		
d8THCV	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable		
THCVA	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable		
CBN	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable		
exo-THC	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable		
d9THC	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable		
d8THC	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable		
CBL	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable		
CBC	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable		
THCA	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable		
CBCA	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable		
CBLA	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable		
CBT	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable		

Abbreviations

ND - None Detected at or above MRL

RPD - Relative Percent Difference LOQ - Limit of Quantitation

NA - Calculation Not Applicable given non-numerical results

Units of Measure:

% - Percent

Page 7 of 8 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made. Testing in accordance with: OAR 333-007-0430





Report Number: 21-012273/D001.R000 **Report Date:** 10/21/2021 ORELAP#: OR100028 **Purchase Order:** 10/11/21 14:15 **Received:**

Explanation of QC Flag Comments:

Code	Explanation				
Q	Matrix interferences affecting spike or surrogate recoveries.				
Q1	Quality control result biased high. Only non-detect samples reported.				
Q2	Quality control outside QC limits. Data considered estimate.				
Q3	Sample concentration greater than four times the amount spiked.				
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.				
Q5	Spike results above calibration curve.				
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.				
R	Relative percent difference (RPD) outside control limit.				
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.				
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.				
LOQ1	Quantitation level raised due to low sample volume and/or dilution.				
LOQ2	Quantitaion level raised due to matrix interference.				
В	Analyte detected in method blank, but not in associated samples.				
B1	The sample concentration is greater than 5 times the blank concentration.				
B2	The sample concentration is less than 5 times the blank concentration.				

 www.columbialaboratories.com
 Page 8 of 8

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with:
 OAR 333-007-0430